

Commercial TV LN661H (EU/CIS)

A Standard Smart Hotel TV with Pro:Centric Solution







Pro:Centric Direct

Design	Stand Type	32": 1 pole (Swivel), 28" / 24" : 1 pole (Fixed)
Display	Inch	32" / 28" / 24"
	Resolution	1,366 × 768 (HD)
	Туре	LCD
Broadcasting System	Digital	DVB-T2 / C / S2
	Analog	SECAM / PAL
Solution	Pro:Centric (Smart, Cloud 1.0, Direct 5.0, PCA 3.8), Quick Menu, webOS22	
VESA	32": 200 × 200 28" : 100 × 100 24" : 75 × 75	



Pro:Idiom




LN661H (EU/CIS)



Pro:Centric Cloud

Pro:Centric Cloud improves the usability of enterprise's CMS solution and cloudification of system, reinforcing the service of 3rd party solution. It also offers various design templates, improving data collection and analytics platform with an eye-catching dashboard.



Pro:Centric Direct

The hotel content management solution Pro:Centric Direct offers easy and simple editing tools, making it easy to perform service and IP network-based remote management. The Pro:Centric Direct solution enables users to edit their interface easily by providing customized interface and efficiently manages all TVs in the room. The latest PCD version provides IoT-based in-room control as well as voice control function through LG Natural Language Processing (NLP). These IoT and voice-related functions will be your starting point to prepare for the hotel rooms of next generation through artificial intelligence.

* Some features may not be supported based on PCD versions.



Pro:Idiom

Digital Rights Management (DRM) technology provides access to premium content to help assure rapid and broad deployment of HDTV and other high-value digital content.

LN661H (EU/CIS)



Instant On

The high speed loading system enables users to enjoy content immediately after turning on the TV.



EzManager


EzManager provides a convenient installation function for automatically set up Pro:Centric TV settings without the extra effort of configuration. Auto-installation requires 1-3 minutes while manual installation requires 3-5 minutes.

* All images are for illustrative purposes only.

CONNECTIVITY

32" (32LN661HBLA) (H/POUT) 0 RS-232C IN (CONTROL & SERVICE) HDMI[™]IN 1 EXTERNAL SPEAKER OUT LAN OPTICAL DIGITAL AUDIO OUT VOLUME CONTRO 13/18V== 700mA Max LNB ANTENNA/ Satellite IN CABLE IN rth AV IN (@ Audio in MCR68167805 HDMI IN USB IN 🚭 ▲ PCMCIA CARD SLOT 2(eARC/ARC) 1(CI+) 2(CI+)

24" (24LN661HBLD)



 \star Jack Panels may differ from the above image, so please contact LG sales team to verify before ordering.




www.lg.com/global/business/information-display
www.joutube.com/c/LGECommercialDisplay
www.facebook.com/LGInformationDisplay
www.linkedin.com/company/lginformationdisplay
www.linkedin.com/company/lginformationdisplay
twitter.com/LG_ID_HQ

LG may make changes to specifications and product descriptions without notice. Copyright © 2023 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. The names of products and brands mentioned here may be the trademarks of their respective owners.



Business Solutions

28" (28LN661HBZD)



H/P OUT HDMI IN USB IN ↔ 2(cI+) ▲ COMMON INTERFACE ▲